

Message

---

**From:** Wentte, Stephen [Wentte.Stephen@epa.gov]  
**Sent:** 9/29/2020 6:47:35 PM  
**To:** Lin, James [lin.james@epa.gov]; Blankinship, Amy [Blankinship.Amy@epa.gov]  
**Subject:** RE: Aldicarb GW results

**Ex. 5 Deliberative Process (DP)**

---

**From:** Lin, James <lin.james@epa.gov>  
**Sent:** Tuesday, September 29, 2020 2:46 PM  
**To:** Blankinship, Amy <Blankinship.Amy@epa.gov>; Wentte, Stephen <Wentte.Stephen@epa.gov>  
**Subject:** RE: Aldicarb GW results

OK. **Ex. 5 Deliberative Process (DP)**  
Thanks much.

---

**From:** Blankinship, Amy <Blankinship.Amy@epa.gov>  
**Sent:** Tuesday, September 29, 2020 2:43 PM  
**To:** Lin, James <lin.james@epa.gov>; Wentte, Stephen <Wentte.Stephen@epa.gov>  
**Subject:** RE: Aldicarb GW results

The proposed well set-back is 300ft, so we at least need to know the values at that distance. However, I would also think

**Ex. 5 Deliberative Process (DP)**

---

**From:** Lin, James <lin.james@epa.gov>  
**Sent:** Tuesday, September 29, 2020 2:36 PM  
**To:** Blankinship, Amy <Blankinship.Amy@epa.gov>; Wentte, Stephen <Wentte.Stephen@epa.gov>  
**Subject:** Aldicarb GW results

The results are tabulated below:

**Ex. 5 Deliberative Process (DP)**

Thanks much.

---

**From:** Blankinship, Amy <Blankinship.Amy@epa.gov>  
**Sent:** Tuesday, September 29, 2020 2:01 PM  
**To:** Went, Stephen <Wente.Stephen@epa.gov>; Lin, James <lin.james@epa.gov>  
**Subject:** RE: aldicarb

Sounds good.

---

**From:** Went, Stephen <Wente.Stephen@epa.gov>  
**Sent:** Tuesday, September 29, 2020 1:52 PM  
**To:** Blankinship, Amy <Blankinship.Amy@epa.gov>; Lin, James <lin.james@epa.gov>  
**Subject:** RE: aldicarb

## Ex. 5 Deliberative Process (DP)

---

**From:** Blankinship, Amy <Blankinship.Amy@epa.gov>  
**Sent:** Tuesday, September 29, 2020 12:27 PM  
**To:** Lin, James <lin.james@epa.gov>; Went, Stephen <Wente.Stephen@epa.gov>  
**Subject:** aldicarb

Hi,

For easy reference, attached is the latest DWA numbers I have.

**Ex. 5 Deliberative Process (DP)**

## Ex. 5 Deliberative Process (DP)

Amy Blankinship  
Branch Chief, ERB2  
USEPA – OCSPP/OPP/EFED  
703-347-8062